

Toyana 22318 KW33+H2318 spherical roller bearings

Online Toyana 22318 KW33+H2318 spherical roller bearings 44.45×104.775×36.512 Size (mm) Expert.More Choices. Toyana 22318 KW33+H2318 spherical roller bearings in 44,45 Bore Diameter (mm) Stock & Ready to Ship Now!

| | |
|-------------------------------|----------------------|
| Size (mm) | 44.45×104.775×36.512 |
| Bore Diameter (mm) | 44,45 |
| Outer Diameter (mm) | 104,775 |
| Width (mm) | 36,512 |
| d | 44,45 mm |
| D | 104,775 mm |
| T | 36,512 mm |
| B | 36,512 mm |
| C | 28,575 mm |
| ra1 max. | 3,3 mm |
| a | 29,7 mm |
| r min. | 3,5 mm |
| r1 min. | 3,3 mm |
| Da | 89 mm |
| db | 59 mm |
| ra max. | 3,5 mm |
| da | 66 mm |
| Db | 100 mm |
| Weight | 1,642 Kg |
| Basic dynamic load rating (C) | 139 kN |
| Basic static load rating (C0) | 192 kN |

| | |
|----------------------------|---------------------|
| (Grease) Lubrication Speed | 3400 r/min |
| (Oil) Lubrication Speed | 4800 r/min |
| Calculation factor (e) | 0,49 |
| Calculation factor (Y0) | 0,68 |
| LangID | 1 |
| ALP23 | 0 |
| outer r | 3.3 |
| ALP22 | 0 |
| D_ | 104.775 |
| ALP21 | 36 |
| SHOG_yobi | HM807040R/HM807010R |
| RAr | 159.506 |
| inner r | 3.5 |
| GRS rpm | 3400 |
| D_b | 100 |
| D_a | 89 |
| DE_ | 89.763 |
| SLR | 27 |
| Prod_Type3 | TRBSR_ID_A |
| BETA_ | 2 |
| ALPHA_ | 18 |
| SDM_ | 79.264 |
| DA1 | 12.523 |
| DA2 | 10.412 |
| hidYobi | HM807040/HM807010 |
| Y1 | 1.2 |
| B_ | 36.512 |
| Oil rpm | 4800 |
| hidTable | ecat_NSTPRI |

| | |
|----------|-------------------|
| Y0 | 0.68 |
| inner ra | 3.5 |
| outer rb | 3.3 |
| C0 | 192 |
| CUP | 0.502 |
| e | 0.49 |
| DA_ | 11.473 |
| BET21 | 4 |
| BET22 | 30 |
| BET23 | 0 |
| Z_ | 18 |
| C_ | 28.575 |
| yobi | HM807040/HM807010 |
| KBRG | 3161 |
| CONE | 1.14 |
| DI_ | 68.111 |