

Toyana 33114 A tapered roller bearings

LET OUR 30x62x17.25 Size (mm) Toyana 33114 A tapered roller bearings EXPERTS GET YOU THE PARTS YOU NEED.

Size (mm)	30x62x17.25
Bore Diameter (mm)	30
Outer Diameter (mm)	62
Width (mm)	17,25
d	30 mm
D	62 mm
T	17,25 mm
B	16 mm
C	12 mm
a	17,8 mm
r min.	1 mm
r1 min.	1 mm
da min.	39 mm
Da min	49 mm
Da max.	56 mm
db max.	36 mm
Db min.	59 mm
ra max.	1 mm
rb max.	1 mm
Weight	0,221 Kg
Basic dynamic load rating (C)	35,5 kN
Basic static load rating (C0)	37 kN
(Grease) Lubrication Speed	5600 r/min

(Oil) Lubrication Speed	7500 r/min
Calculation factor (e)	0,68
Calculation factor (Y0)	0,49
LangID	1
outer r	1
D_	62
TC-BET22	0
TC-BET21	7
TC-BET23	0
inner r	1
mass	0.221
GRS rpm	5600
D_b	59
Cr	3650
TC-RA	68.84
DE_	52.425
T-ALP23	0
db	36
T-ALP22	40
Prod_Type3	TRBSR_MD_A
da	39
T-ALP21	48
Iso	—
ALPHA_	24.333
SDM_	45.13
SBRG	2
D_a2	49
hidYobi	HR30206C
Y1	0.88

D_a1	56
B_	16
hidTable	ecat_NSTPRM
Oil rpm	7500
C0r	3800
Y0	0.49
TC-SLR	10.5
inner ra	1
outer rb	1
C0	37
Sa	2
Sb	5
e	0.68
DA_	7.77
Z_	15
C_	12
yobi	HR30206C
TC-DA1	8.403
TC-DA2	7.136
KBRG	3111
DI_	37.834