

# Toyana 3781/3720 tapered roller bearings

Offer High Quality Brand 200 mm d Toyana 3781/3720 tapered roller bearings .Contact 58 mm B Us Online to Get Best Quote.

d	200 mm
D	360 mm
B	58 mm
rs min	4 mm
Radial clearance class	C3
Mass	21.6 kg
Dynamic load, C	269 kN
Static load, C0	310 kN
Fatigue limit load, Cu	8.4 kN
f0	15.2
Nlim (oil)	2,000 rpm
Nlim (grease)	1,700 rpm
Min operating temperature, Tmin	-60 °C
Characteristic cage frequency, FTF	0.43 Hz
Characteristic rolling element frequency, BSF	6.64 Hz
Characteristic outer ring frequency, BPF0	5.12 Hz
Characteristic inner ring frequency, BRFI	6.88 Hz
da min	216 mm
Da max	344 mm
ra max	3 mm

Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	26.79
EAN	4547359375565
Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Brass
Internal Clearance	C3-Loose
Inch – Metric	Metric
Long Description	200MM Bore; 360MM Outside Diameter; 58MM Outer Race Diameter; Open; Ball Bearing; ABEC 1   ISO P0; N
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer Item Number	6240L1C3
Weight / LBS	59.007
Outside Diameter	14.173 Inch   360 Millimeter
Bore	7.874 Inch   200 Millimeter

Outer Race Width	2.283 Inch   58 Millimeter
------------------	----------------------------