

# Toyana 618/5 deep groove ball bearings

Toyana 618/5 deep groove ball bearings Warehouse offers car parts and car accessories. We SKF Manufacturer Name sell discount online as 0.0 Inventory well as cheap machinery parts.

Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	0.561
EAN	7316571875460
Product Group	B04286
Self Aligning	Yes
Rolling Element	Spherical Plain
Material – Outer Member	Steel
Material – Ball	Steel
Material – Liner	Teflon
Relubricatable	No
Enclosure	2 Seals
Other Features	2 Piece   Maintenance Free   Chrome Plated Ball   Self Lubricating   Triple Lip Heavy Duty Seals
Long Description	50MM Bore; 28MM Housing Width; 75MM Outside Diameter; Spherical Plain; Steel Outer Member; Steel Bal
Inch – Metric	Metric

UNSPSC	31171515
Harmonized Tariff Code	8483.30.80.70
Noun	Bearing
Keyword 3	Spherical
Keyword String	Plain Spherical Radial
Manufacturer Item Number	GE 50 TXE-2LS
Weight / LBS	1.235
d	50 mm
D	75 mm
Housing Width	1.102 Inch   28 Millimeter
B	35 mm
bore diameter:	50 mm
inner ring material:	Steel
outside diameter:	75 mm
outer ring width:	28 mm
misalignment angle:	6 °
race material:	PTFE Composite
inner ring width:	35 mm
radial static load capacity:	735 kN
bearing type:	Radial
radial dynamic load capacity:	440 kN
lubrication type:	Maintenance Free/Self-Lubricating
operating temperature range:	-50 to +150 °C °F
closure type:	Triple Lip Seals
overall width:	35 mm
outer ring material:	Chrome Steel
manufacturer upc number:	7316571875460

Lubricant	Maintenance free – dry lubrication
Design (sliding contact surface combination)	Steel/PTFE fabric
Sealing solution	Triple-lip seals
C	28 mm
$\alpha$	6 °
dk	66 mm
r1 min.	0.6 mm
r2 min.	1 mm
da min.	54.5 mm
da max.	56 mm
Da min.	66.5 mm
Da max.	70.5 mm
ra max.	0.6 mm
rb max.	1 mm
Basic dynamic load rating C	440 kN
Basic static load rating C0	735 kN
Specific dynamic load factor K	300 N/mm <sup>2</sup>
Specific static load factor K0	500 N/mm <sup>2</sup>
Mass plain bearing	0.56 kg