

# Toyana 7207 B-U0 angular contact ball bearings

Browse Toyana 7207 B-U0 angular contact ball bearings Categories in the 95x120x13 Size (mm) Manufacturers Online Free. including .

Size (mm)	95x120x13
Bore Diameter (mm)	95
Outer Diameter (mm)	120
Width (mm)	13
d	95 mm
D	120 mm
B	13 mm
C	13 mm
rn	0,5 mm
r min.	1 mm
da min.	100 mm
da max	101 mm
Da max.	115 mm
ra max.	1 mm
Weight	0,3 Kg
Basic dynamic load rating (C)	19,3 kN
Basic static load rating (C0)	20,5 kN
(Grease) Lubrication Speed	5 000 r/min
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0

EAN	4547359006445
Product Group	B00308
Enclosure	2 Metal Shields
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch – Metric	Metric
Long Description	95MM Bore; 120MM Outside Diameter; 13MM Outer Race Width; 2 Metal Shields; Ball Bearing; ABEC 1   IS
Other Features	Deep Groove   Shell Alvania Prelubricated
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Weight / LBS	0.631
Inner Race Width	0 Inch   0 Millimeter
Bore	3.74 Inch   95 Millimeter
Outside Diameter	4.724 Inch   120 Millimeter
Outer Race Width	0.512 Inch   13 Millimeter
bore diameter:	95 mm
static load capacity:	20500 N
outside diameter:	120 mm
precision rating:	ISO Class 0

overall width:	13 mm
finish/coating:	Uncoated
bore type:	Round
bearing material:	High Carbon Chrome Steel
closure type:	Double Shielded
cage material:	Steel
row type & fill slot:	Single Row Non-Fill Slot
inner ring width:	13 mm
snap ring included:	Without Snap Ring
outer ring width:	13 mm
internal clearance:	CN
maximum rpm (grease):	5000 rpm
operating temperature range:	-40 to 120 °C
fillet radius:	1 mm
dynamic load capacity:	19300 N
manufacturer product page:	<a href="#">Click here</a>