

Toyana 7214 B-UD angular contact ball bearings

High Quality Toyana 7214 B-UD angular contact ball bearings. Competitive Pricing. Accept Small 33.338×68.262×22.225 Size (mm) Order. Easy and Fast Shipping.

Size (mm)	33.338×68.262×22.225
Bore Diameter (mm)	33,338
Outer Diameter (mm)	68,262
Width (mm)	22,225
d	33,338 mm
D	68,262 mm
T	22,225 mm
B	22,225 mm
C	17,462 mm
ra1 max.	1,5 mm
a	19 mm
r min.	0,8 mm
r1 min.	1,5 mm
Da	58 mm
db	41 mm
ra max.	0,8 mm
da	42,5 mm
Db	65 mm
Weight	0,382 Kg
Basic dynamic load rating (C)	55,5 kN
Basic static load rating (C0)	70,5 kN
(Grease) Lubrication Speed	5300 r/min

(Oil) Lubrication Speed	7500 r/min
Calculation factor (e)	0,55
Calculation factor (Y0)	0,6
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	0.322
Product Group	B04334
LangID	1
ALP23	0
outer r	1.5
ALP22	0
D_	68.262
ALP21	40
SHOG_yobi	M88048R/M88010R
RAr	91.761
inner r	0.8
GRS rpm	5300
D_b	65
D_a	58
DE_	57.254
SLR	16.3
Prod_Type3	TRBSR_ID_A
BETA_	2
ALPHA_	20
SDM_	50.377
DA1	7.898
DA2	6.501
hidYobi	M88048/M88010

Y1	1.1
B_	22.225
Oil rpm	7500
hidTable	ecat_NSTPRI
Y0	0.6
inner ra	0.8
outer rb	1.5
C0	70.5
CUP	0.146
e	0.55
DA_	7.204
BET21	4
BET22	56
BET23	0
Z_	18
C_	17.462
yobi	M88048/M88010
KBRG	3161
CONE	0.236
DI_	43.4