

Toyana 7413 A-U0 angular contact ball bearings

Toyana 7413 A-U0 angular contact ball bearings Manufacturers , Online Wholesale Suppliers 70x110x20 Size (mm) !

Size (mm)	70x110x20
Bore Diameter (mm)	70
Outer Diameter (mm)	110
Width (mm)	20
d	70 mm
D	110 mm
B	20 mm
C	20 mm
r min.	1,1 mm
da min.	76,5 mm
da max	80,5 mm
Da max.	103,5 mm
ra max.	1 mm
Weight	0,608 Kg
Basic dynamic load rating (C)	38 kN
Basic static load rating (C0)	31 kN
(Grease) Lubrication Speed	6 000 r/min
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	0.6
EAN	0029176034374
Product Group	B00308

Enclosure	2 Metal Shields
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch – Metric	Metric
Long Description	70MM Bore; 110MM Outside Diameter; 20MM Outer Race Diameter; 2 Metal Shields; Ball Bearing; ABEC 1
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer Item Number	6014ZZ
Weight / LBS	0.595
Outer Race Width	0.787 Inch 20 Millimeter
Bore	2.756 Inch 70 Millimeter
Outside Diameter	4.331 Inch 110 Millimeter
SRI	6.16
hidYobi	6014ZZ
LangID	1
D_	110
SREX	0.025
B_	20
da min	76.5
hidTable	ecat_NSRDGB

SRE	6.16
mass	0.608
GRS rpm	6000
ra	1
SRIX	0.025
D_a	103.5
SRIN	-0.025
C0	31
fo	15.6
SREN	-0.025
DE_	101.906
Prod_Type3	DGBB_SR_ZZ
DA_	11.906
bomp	0
Z_	14
yobi	6014ZZ
C_conv	38000
ALPHA_	0
SDM_	90
r	1.1
KBRG	6141
SBRG	10
DI_	78.094