

# Toyana 811/630 thrust roller bearings

Welcome to N/A Minimum Buy Quantity the Toyana 811/630 thrust roller bearings online seller. 0.0 Inventory NSK Manufacturer Name

Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight	18
Product Group	B04311
Internal Clearance	C3-Loose
Mounting Method	Adapter Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Tapered
Cage Material	Bronze
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Withdrawal Sleeve	AHX3130 (Specify bore)
Inch – Metric	Metric
Long Description	150MM Tapered Bore; 270MM Outside Diameter; 73MM Width; C3-Loose Clearance; Adapter Mount; Double Ro
Other Features	Order adapter or withdrawal sleeve or nut separately. Others may be available
UNSPSC	31171510

Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Manufacturer Item Number	22230CAMKE4C3
Weight / LBS	18
B	2.874 Inch   73 Millimeter
d	5.906 Inch   150 Millimeter
D	10.63 Inch   270 Millimeter
Adapter Part Number	SNW3130 H3130 HA3130 HE3130 (Specify bore) Inch   H3130 (Specify bore) Millimeter
bore diameter:	150 mm
maximum rpm:	1600 RPM
outside diameter:	270 mm
operating temperature range:	Maximum of +200 °C
overall width:	4.3800 in
cage material:	Brass
bore type:	Tapered 1:12
bearing material:	Steel
outer ring type:	Not Split
cage type:	Inner Ring Guided
internal clearance:	C3
precision rating:	RBEC 1 (ISO Class Normal)
closure type:	Open
finish/coating:	Uncoated
lubrication hole type:	Lubrication Groove & Hole
outer ring width:	73 mm
dynamic load capacity:	765000 N
fillet radius:	3 mm

static load capacity:	1120000 N
series:	222