

Toyana CX207 wheel bearings

With over 10170 615 Series full-service stores, our Toyana CX207 wheel bearings inventory is extensive and our parts are priced right. within 24 hours. 617 Cone Part Number This helps you maximize your productivity by saving 612-B Cup Part Number time and your hard-earned dollars.

| | |
|--|---------------|
| Series | 615 |
| Cone Part Number | 617 |
| Cup Part Number | 612-B |
| Design Units | Imperial |
| Bearing Weight | 5.3 lb |
| Cage Type | Stamped Steel |
| d | 1.8750 in |
| D | 4.7500 in |
| D1 – Flange Outer Diameter | 5.0272 in |
| B – Cone Width | 1.6250 in |
| C – Cup Width | 1.2500 in |
| C1 – Cup Flange Width | 0.2812 in |
| T1 – Bearing Width | 1.6213 in |
| T – Bearing Width to Flange | 0.6525 in |
| R – Cone Backface To Clear Radius ¹ | 0.14 in |
| r – Cup Backface To Clear Radius ² | 0.130 in |
| da – Cone Frontface Backing Diameter | 2.28 in |
| db – Cone Backface Backing Diameter | 2.56 in |
| Da – Cup Frontface Backing Diameter | 4.35 in |
| Ab – Cage-Cone Frontface Clearance | 0.11 in |
| Aa – Cage-Cone Backface Clearance | 0.13 in |
| a – Effective Center Location ³ | -0.55 in |

| | |
|--|-----------|
| C90 – Dynamic Radial Rating (90 million revolutions) ⁴ | 12100 lbf |
| C1 – Dynamic Radial Rating (1 million revolutions) ⁵ | 46600 lbf |
| C0 – Static Radial Rating | 54800 lbf |
| Ca90 – Dynamic Thrust Rating (90 million revolutions) ⁶ | 6510 lbf |
| K – Factor ⁷ | 1.86 |
| e – ISO Factor ⁸ | 0.31 |
| Y – ISO Factor ⁹ | 1.91 |
| G1 – Heat Generation Factor (Roller-Raceway) ¹⁰ | 75.9 |
| G2 – Heat Generation Factor (Rib-Roller End) | 16.2 |
| Cg – Geometry Factor ¹¹ | 0.0694 |