

# Toyana FL617/5 deep groove ball bearings

offers a Toyana FL617/5 deep groove ball bearings selection of Genuine 180x85x41 Size (mm) at Wholesale Prices. We are a Toyana FL617/5 deep groove ball bearings Certified Parts Retailer

Size (mm)	180x85x41
Bore Diameter (mm)	180
Outer Diameter (mm)	85
Width (mm)	41
d	85 mm
D	180 mm
B	41 mm
D1	153 mm
F	108 mm
s	2.3 mm
r1,2 – min.	3 mm
r3,4 – min.	3 mm
da – min.	99 mm
da – max.	105 mm
db – min.	111 mm
Da – min.	158 mm
Da – max.	166 mm
ra – max.	2.5 mm
rb – max.	2.5 mm
Basic dynamic load rating – C	297 kN
Basic static load rating – C0	340 kN

Fatigue load limit – Pu	41.5 kN
Reference speed	3600 r/min
Limiting speed	4800 r/min
Calculation factor – kr	0.15
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	5.41
EAN	7316571428864
Product Group	B04144
Bore Profile	Straight
Cage Material	Brass
Precision Class	RBEC 1   ISO P0
Number of Rows of Rollers	Single Row
Separable	Inner Ring – Both Sides
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C3-Loose
Retainer	Yes
Relubricatable	Yes
Inch – Metric	Metric
Other Features	High Capacity   Plain Inner Ring   2 Rib Outer Ring   Cage on Outer Ring ID
Long Description	85MM Bore; Straight Bore Profile; 180MM Outside Diameter; 41MM Width; Brass Cage Matetrial; RBEC 1

UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer Item Number	NU 317 ECM/C3VL0241
Weight / LBS	11.905
Outside Diameter	7.087 Inch   180 Millimeter
Bore	3.346 Inch   85 Millimeter
Width	1.614 Inch   41 Millimeter
D1 ≈	153 mm
s max.	2.3 mm
r1,2 min.	3 mm
r3,4 min.	3 mm
da min.	99 mm
da max.	105 mm
db min.	111 mm
Da min.	158 mm
Da max.	166 mm
ra max.	2.5 mm
rb max.	2.5 mm
Basic dynamic load rating C	297 kN
Basic static load rating C0	340 kN
Fatigue load limit Pu	41.5 kN
Calculation factor kr	0.15
Mass bearing	5.32 kg