

Toyana NJ2211 E cylindrical roller bearings

What is the 150 Bore Diameter (mm) best place to buy Toyana NJ2211 E cylindrical roller bearings online? Manufacturing Service . 150x70x35 Size (mm)

Size (mm)	150x70x35
Bore Diameter (mm)	150
Outer Diameter (mm)	70
Width (mm)	35
d	70 mm
D	150 mm
B	35 mm
d1	94.95 mm
D2	129.9 mm
r1,2 – min.	2.1 mm
da – min.	82 mm
da – max.	94.9 mm
Da – max.	138 mm
ra – max.	2 mm
Basic dynamic load rating – C	111 kN
Basic static load rating – C0	68 kN
Fatigue load limit – Pu	2.8 kN
Limiting speed	3000 r/min
Calculation factor – kr	0.03
Calculation factor – f0	13.2
Inventory	0.0
Manufacturer Name	SKF

Minimum Buy Quantity	N/A
Weight / Kilogram	2.618
EAN	7316570661224
Product Group	B00308
Enclosure	2 Seals
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Enclosure Type	Contact Seal
Internal Clearance	C0-Medium
Inch – Metric	Metric
Long Description	70MM Bore; 150MM Outside Diameter; 35MM Outer Race Width; 2 Seals; Ball Bearing; ABEC 1 ISO P0; No
Other Features	Deep Groove NBR Seal
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer Item Number	6314-2RS1
Weight / LBS	5.767
Inner Race Width	0 Inch 0 Millimeter
Outside Diameter	5.906 Inch 150 Millimeter
Outer Race Width	1.378 Inch 35 Millimeter
Bore	2.756 Inch 70 Millimeter
d1 ≈	94.95 mm

D2 ≈	129.9 mm
r _{1,2} min.	2.1 mm
d _a min.	82 mm
d _a max.	94.9 mm
D _a max.	138 mm
r _a max.	2 mm
Basic dynamic load rating C	111 kN
Basic static load rating C ₀	68 kN
Fatigue load limit P _u	2.75 kN
Calculation factor k _r	0.03
Calculation factor f ₀	13.2
Mass bearing	2.62 kg