

Toyana NP316 E cylindrical roller bearings

Request A Quote For Your Special Toyana NP316 E cylindrical roller bearings Needs Today! N/A Minimum Buy Quantity Free 0.0 Inventory Quotes. ISO 9001 certified.

Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	128.115
EAN	7316577654663
Product Group	B04311
Internal Clearance	C0-Medium
Mounting Method	Adapter Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Tapered
Cage Material	Bronze
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Withdrawal Sleeve	AH3072 (Specify bore)
Withdrawal Nut	HML77T
Inch – Metric	Metric
Long Description	360MM Tapered Bore; 540MM Outside Diameter; 134MM Width; C0-Medium Clearance; Adapter Mount; Double

Other Features	Order adapter or withdrawal sleeve or nut separately. Others may be available
UNSPSC	31171510
Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Weight / LBS	282.191
d	14.173 Inch 360 Millimeter
Adapter Part Number	SNP3072 H3072 (Specify bore) Inch H3072 (Specify bore) Millimeter
D	21.26 Inch 540 Millimeter
B	5.276 Inch 134 Millimeter
bore diameter:	360 mm
maximum rpm:	1200 RPM
outside diameter:	540 mm
operating temperature range:	Maximum of +390 °F
overall width:	134 mm
cage material:	Brass
bore type:	Tapered 1:12
bearing material:	Steel
outer ring type:	Not Split
cage type:	Inner Ring Guided
internal clearance:	C1
precision rating:	Not Rated
closure type:	Open
finish/coating:	Uncoated
lubrication hole type:	Lubrication Groove & Hole
outer ring width:	134 mm

dynamic load capacity:	2750 kN
fillet radius:	4 mm
static load capacity:	4800 kN
series:	230