

Toyana NU29/1320 cylindrical roller bearings

Toyana NU29/1320 cylindrical roller bearings 120 Bore Diameter (mm) Deal is your source for OEM and accessories. We sell Genuine at discount prices.

Bore Diameter (mm)	120
d	120 mm
U	56,5 mm
Thread (Q)	Rp1/8
Z	250 mm
d3	152 mm
A	40 mm
A1	24 mm
B1	81 mm
H	350 mm
J	295 mm
N	27 mm
S	3 mm
A2	4 mm
Weight	17,43 Kg
Basic dynamic load rating (C)	155 kN
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	17.45
EAN	4012802133936
Product Group	M06110

Number of Mounting Holes	4
Mounting Method	Eccentric Collar
Housing Style	4 Bolt Round Flange Cartridge
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	27 Millimeter
Relubricatable	Yes
Insert Part Number	GE120KRRB
Seals	Double Land Riding Rubber Contact
Housing Configuration	1 Piece Solid
Pilot Configuration	With Pilot
Inch – Metric	Metric
Long Description	4 Bolt Round Flange Cartridge; 120MM Bore; 295MM Bolt Circle; 208.6MM Bolt Spacing; 1 Piece Solid; E
Other Features	Single Row Centering Spigot With Set Screw
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer Item Number	RME120
Weight / LBS	38.427
Length Thru Bore	3.189 Inch 81 Millimeter
Bolt Spacing	8.2 Inch 208.6 Millimeter
Cartridge Pilot Depth	0.472 Inch 12 Millimeter
Bore	4.724 Inch 120 Millimeter

Nominal Bolt Circle Diameter Round	11.6 Inch 295 Millimeter
Cartridge Pilot Diameter	9.843 Inch 250 Millimeter