

# WC87013 NTN bore type: Round 13x32x12.700mm Deep groove ball bearings

Bearing number	WC87013
Size (mm)	13x32x12.700
Brand	NTN
Bore Diameter (mm)	13.000
Outer Diameter (mm)	32.000
Width (mm)	12.700
d	13.000 mm
D	32.000 mm
B	12.700 mm
C	12.700 mm
Category	Single Row Ball Bearings
BDI Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.042
Product Group – BDI	B00308
Enclosure	1 Seal-1 Metal Shield
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	Smaller Inner Ring
Cage Material	Steel

Enclosure Type	Contact Seal
Internal Clearance	C0-Medium
Inch – Metric	Metric
Long Description	13MM Bore; 32MM Outside Diameter; 12.7MM Outer Race Width; 1 Seal-1 Metal Shield; Ball Bearing; ABEC 1   ISO P0; No Filling Slot; No Snap Ring; Smaller Inner Ring Internal Special Features; C0-Medium Internal Clearance; 12.2MM Inner Race Width
Other Features	Deep Groove   Felt Seal
Category – BDI	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	<a href="http://www.ntnamerica.com">http://www.ntnamerica.com</a>
Manufacturer Item Number	WC87013
Weight / LBS	0.1
Outside Diameter	1.26 Inch   32 Millimeter
Outer Race Width	0.5 Inch   12.7 Millimeter
Bore	0.512 Inch   13 Millimeter
Inner Race Width	0.48 Inch   12.2 Millimeter
EAN	4547359601947
bore diameter:	13 mm
precision rating:	ISO Class 0
outside diameter:	32 mm
finish/coating:	Uncoated
overall width:	12.7 mm

bearing material:	High Carbon Chrome Steel
bore type:	Round
cage material:	Steel
closure type:	One Seal/One Shield
inner ring width:	12.192 mm
row type & fill slot:	Single Row Non-Fill Slot
outer ring width:	12.700 mm
snap ring included:	Without Snap Ring
maximum rpm (grease):	16000 rpm
internal clearance:	CN
fillet radius:	0.6 mm
operating temperature range:	-40 to 120 °C
series:	WC8
dynamic load capacity:	6100 N
manufacturer product page:	<a href="#">Click here</a>
static load capacity:	2740 N