

WJ-162112 KOYO Keyword String

Needle Needle roller bearings

| | |
|-------------------------------|-----------------------------------|
| Bearing number | WJ-162112 |
| Brand | KOYO |
| Bore Diameter (mm) | 25.400 |
| Outer Diameter (mm) | 33.338 |
| Fw | 25.400 mm |
| Ew | 33.338 mm |
| Bc | 19.05 mm |
| Weight | 0.029 Kg |
| Basic dynamic load rating (C) | 28.1 kN |
| Basic static load rating (C0) | 37.1 kN |
| (Grease) Lubrication Speed | 12000 r/min |
| Category | Needle Non Thrust Roller Bearings |
| BDI Inventory | 0.0 |
| Manufacturer Name | KOYO |
| Minimum Buy Quantity | N/A |
| Weight / Kilogram | 0.029 |
| EAN | 0605790206078 |
| Product Group – BDI | B04144 |
| Rolling Element | Needle Roller Bearing |
| Component | Roller Assembly Only |
| Enclosure | Not Applicable |
| Self Aligning | No |
| Retainer | Yes |
| Number of Rows of Rollers | Single Row |

| | |
|--------------------------|--|
| Separable | No |
| Closed End | Not Applicable |
| Inch – Metric | Inch |
| Thrust Bearing | No |
| Long Description | 1" Bore; 1-5/16" Outside Diameter; 3/4" Width; Needle Roller Bearing; Roller Assembly Only; Not Applicable Enclosure; No Self Aligning; Yes Retainer; Single Row of Rollers; No Separable; Not Applicable Closed Endn/a Relubricatable |
| Other Features | Radial Roller Steel Cage |
| Category – BDI | Needle Non Thrust Roller Bearing |
| UNSPSC | 31171512 |
| Harmonized Tariff Code | 8482.40.00.00 |
| Noun | Bearing |
| Keyword String | Needle |
| Manufacturer URL | http://www.koyousa.com |
| Manufacturer Item Number | WJ-162112 |
| Weight / LBS | 0.063 |
| Width | 0.75 Inch 19.05 Millimeter |
| Outside Diameter | 1.313 Inch 33.35 Millimeter |
| Bore | 1 Inch 25.4 Millimeter |
| Bearing No. | WJ-162112 |
| Cr | 28.1 |
| C0r | 37.1 |
| Cu | 5.90 |
| Grease lub. | 12000 |
| Oil lub. | 18000 |

| | |
|----------------------------|--------|
| Shaft dia.(h5)(max.) | 25.400 |
| Shaft dia.(h5)(min.) | 25.390 |
| Housing bore dia(G6)(max.) | 33.363 |
| Housing bore dia(G6)(min.) | 33.348 |
| (Refer.)Mass(kg) | 0.029 |