

# ZEN F604-2Z deep groove ball bearings

We 0.0 Inventory Provide Extensive N/A Minimum Buy Quantity ZEN F604-2Z deep groove ball bearings Selection SKF Manufacturer Name And Competitive Wholesale Pricing.

Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	0.561
EAN	7316571875460
Product Group	B04286
Self Aligning	Yes
Rolling Element	Spherical Plain
Material – Outer Member	Steel
Material – Ball	Steel
Material – Liner	Teflon
Relubricatable	No
Enclosure	2 Seals
Other Features	2 Piece   Maintenance Free   Chrome Plated Ball   Self Lubricating   Triple Lip Heavy Duty Seals
Long Description	50MM Bore; 28MM Housing Width; 75MM Outside Diameter; Spherical Plain; Steel Outer Member; Steel Bal
Inch – Metric	Metric
UNSPSC	31171515

Harmonized Tariff Code	8483.30.80.70
Noun	Bearing
Keyword 3	Spherical
Keyword String	Plain Spherical Radial
Manufacturer Item Number	GE 50 TXE-2LS
Weight / LBS	1.235
d	50 mm
D	75 mm
Housing Width	1.102 Inch   28 Millimeter
B	35 mm
bore diameter:	50 mm
inner ring material:	Steel
outside diameter:	75 mm
outer ring width:	28 mm
misalignment angle:	6 °
race material:	PTFE Composite
inner ring width:	35 mm
radial static load capacity:	735 kN
bearing type:	Radial
radial dynamic load capacity:	440 kN
lubrication type:	Maintenance Free/Self-Lubricating
operating temperature range:	-50 to +150 °C °F
closure type:	Triple Lip Seals
overall width:	35 mm
outer ring material:	Chrome Steel
manufacturer upc number:	7316571875460
Lubricant	Maintenance free – dry lubrication

Design (sliding contact surface combination)	Steel/PTFE fabric
Sealing solution	Triple-lip seals
C	28 mm
$\alpha$	6 °
dk	66 mm
r1 min.	0.6 mm
r2 min.	1 mm
da min.	54.5 mm
da max.	56 mm
Da min.	66.5 mm
Da max.	70.5 mm
ra max.	0.6 mm
rb max.	1 mm
Basic dynamic load rating C	440 kN
Basic static load rating C0	735 kN
Specific dynamic load factor K	300 N/mm <sup>2</sup>
Specific static load factor K0	500 N/mm <sup>2</sup>
Mass plain bearing	0.56 kg