

# ZEN MR93X-2Z deep groove ball bearings

ZEN MR93X-2Z deep groove ball bearings SEARCH – Whether it's 65x110x34 Size (mm) agriculture or construction equipment your working on, Has the you need.

Size (mm)	65x110x34
Bore Diameter (mm)	65
Outer Diameter (mm)	110
Width (mm)	34
d	65 mm
D	110 mm
T	34 mm
B	34 mm
C	26,5 mm
a	26 mm
r min.	1,5 mm
r1 min.	1,5 mm
da min.	76 mm
Da min	96 mm
Da max.	101 mm
db max.	73 mm
Db min.	106 mm
ra max.	1,5 mm
rb max.	1,5 mm
Weight	1,32 Kg
Basic dynamic load rating (C)	148 kN
Basic static load rating (C0)	218 kN

(Grease) Lubrication Speed	3200 r/min
(Oil) Lubrication Speed	4300 r/min
Calculation factor (e)	0,39
Calculation factor (Y0)	0,85
LangID	1
outer r	1.5
D_	110
TC-BET22	15
TC-BET21	3
TC-BET23	0
inner r	1.5
mass	1.32
GRS rpm	3200
D_b	106
Cr	15100
TC-RA	209.218
DE_	98.507
T-ALP23	0
db	73
T-ALP22	0
Prod_Type3	TRBSR_MD_A
da	76
T-ALP21	29
Iso	3DE
ALPHA_	14.5
SDM_	87.599
SBRG	31
D_a2	96
hidYobi	HR33113J

Y1	1.5
D_a1	101
B_	34
hidTable	ecat_NSTPRM
Oil rpm	4300
C0r	22200
Y0	0.85
TC-SLR	25
inner ra	1.5
outer rb	1.5
C0	218
Sa	6
Sb	7.5
e	0.39
DA_	11.159
Z_	22
C_	26.5
yobi	HR33113J
TC-DA1	11.865
TC-DA2	10.452
KBRG	3111
DI_	76.691