

# ZEN S61901-2Z deep groove ball bearings

Advance ZEN S61901-2Z deep groove ball bearings is your source for quality and accessories. shop online for 0.0 Inventory home delivery or pick up in one N/A Minimum Buy Quantity of our 10000 .

Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	0.84
EAN	7316570770728
Product Group	B04144
Roller Surface Profile	Crowned
Profile	Yoke Type
Enclosure	Sealed
Rolling Element	Cylindrical Roller Bearing – Double Row
Relubricatable	Yes
Inch – Metric	Metric
Other Features	Full Complement   With Flanged Inner Ring   Labyrinth Seal
Long Description	35MM Bore; 80MM Roller Diameter; 28MM Roller Width; Crowned Roller; Yoke Type; Sealed; Cylindrical R
UNSPSC	31171530
Harmonized Tariff Code	8482.50.00.00

Noun	Bearing
Keyword String	Cam Follower
Manufacturer Item Number	NUTR 3580 A
Weight / LBS	1.852
Roller Diameter	3.15 Inch   80 Millimeter
d	35 mm
Roller Width	1.102 Inch   28 Millimeter
roller diameter:	80 mm
radial static load capacity:	81.5 kN
roller width:	29 mm
roller material:	Chrome Steel
bore diameter:	35 mm
maximum rpm:	2000 RPM
roller shape:	Crowned
lubrication hole location:	Inner Ring
bearing element:	Cylindrical Rollers
axial dynamic load capacity:	51.2 kN
closure type:	Open
axial static load capacity:	68 kN
operating temperature range:	Maximum of +280 °F
standards met:	ANSI/ABMA Standard 18.1, ISO 7063
radial dynamic load capacity:	57 kN
D	80 mm
C	28 mm
B	29 mm
d1	44 mm
r1,2 min.	1.1 mm
r, r3,4 min.	0.6 mm

Basic dynamic load rating C	51.2 kN
Basic static load rating C <sub>0</sub>	68 kN
Fatigue load limit P <sub>u</sub>	8.3 kN
Maximum dynamic radial loads F <sub>r</sub> max.	57 kN
Maximum static radial loads F <sub>0r</sub> max.	81.5 kN
Limiting speed	2000 r/min
Mass support roller	0.84 kg