

ZEN S6209 deep groove ball bearings

How do I place an 40 Bore Diameter (mm) EMERGENCY order for a ZEN S6209 deep groove ball bearings 40x62x12 Size (mm) that I 62 Outer Diameter (mm) want to pick up at a our store?

Size (mm)	40x62x12
Bore Diameter (mm)	40
Outer Diameter (mm)	62
Width (mm)	12
d	40 mm
D	62 mm
B	12 mm
C	12 mm
rn	0,5 mm
a	1,7 mm
b	0,95 mm
f	0,85 mm
r min.	0,6 mm
r ₀ max.	0,25 mm
D1	60,7 mm
D2	64,8 mm
da min.	44 mm
da max	46 mm
Da max.	58 mm
ra max.	0,6 mm
Weight	0,112 Kg
Basic dynamic load rating (C)	13,7 kN

Basic static load rating (C0)	10 kN
(Grease) Lubrication Speed	11 000 r/min
(Oil) Lubrication Speed	13 000 r/min
SRI	3.41
hidYobi	6908NR
LangID	1
ro	0.25
D_	62
SREX	0.04
B_	12
da min	44
hidTable	ecat_NSRDGB
Oil rpm	13000
SRE	3.58
Cy	2.3
mass	0.112
GRS rpm	11000
ra	0.6
SRIX	0.02
D_a	58
SRIN	0
C0	10
fo	15.7
SREN	0
DE_	58.747
Prod_Type3	DGBB_SR_NR_OT
DA_	6.747
bomp	0
Z_	14

yobi	6908NR
Dx	65.5
C_conv	13700
ALPHA_	0
SDM_	52
r	0.6
KBRG	6101
SBRG	19
DI_	45.253