

ZKLF1560-2Z INA Maximum Capacity / Filling Slot No 15x60x25mm Thrust ball bearings

Bearing number	ZKLF1560-2Z
Size (mm)	15x60x25
Brand	INA
Bore Diameter (mm)	15
Outer Diameter (mm)	60
Width (mm)	25
d	15 mm
D	60 mm
B	25 mm
C	25 mm
Screw	3
I	17 mm
Angle (?)	60 °
b	3 mm
d1	28 mm
d2	6.8 mm
r min.	0.3 mm
r1 min.	0.6 mm
J	46 mm
Bolt (G)	M6
Weight	0.43 Kg
Basic dynamic load rating (C)	17.9 kN

Basic static load rating (C0)	28 kN
Category	Angular Contact Ball Bearings
BDI Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	0.43
EAN	4047643183666
Product Group – BDI	B00152
Enclosure	2 Metal Shields
Flush Ground	No
Rolling Element	Ball Bearing
Number of Rows of Balls	Double Row
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Snap Ring	Yes
Cage Material	Plastic
Contact Angle	60 Degree
Internal Clearance	C0-Medium
Number of Bearings	1 (Single)
Inch – Metric	Metric
Long Description	15MM Bore; 60MM Outside Diameter; 25MM Width; 2 Metal Shields; No Flush Ground; Ball Bearing; Double Row of Balls; ABEC 1 ISO P0; No Filling Slot; Yes Snap Ring; C0-Medium; Plastic Cage; 60 Degree; 1 (Single)
Other Features	With Fixing Holes With Snap Ring Groove

Category – BDI	Angular Contact Ball Bearing
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Manufacturer URL	http://www.ina.com
Weight / LBS	0.94799
Outside Diameter	2.362 Inch 60 Millimeter
Bore	0.591 Inch 15 Millimeter
Width	0.984 Inch 25 Millimeter