

ZKLF2575-2Z INA Basic static load rating (C0) 55 kN 25x75x28mm Thrust ball bearings

Bearing number	ZKLF2575-2Z
Size (mm)	25x75x28
Brand	INA
Bore Diameter (mm)	25
Outer Diameter (mm)	75
Width (mm)	28
d	25 mm
D	75 mm
B	28 mm
C	28 mm
Screw	4
I	19 mm
Angle (?)	60 °
b	3 mm
d1	40.5 mm
d2	6.8 mm
r min.	0.3 mm
r1 min.	0.6 mm
J	58 mm
Bolt (G)	M6
Weight	0.72 Kg
Basic dynamic load rating (C)	27.5 kN

Basic static load rating (C0)	55 kN
Snap Ring	Yes
Category	Angular Contact Ball Bearings
BDI Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	0.862
EAN	4012802078701
Product Group – BDI	B00152
Enclosure	2 Metal Shields
Flush Ground	No
Rolling Element	Ball Bearing
Number of Rows of Balls	Double Row
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Cage Material	Plastic
Contact Angle	60 Degree
Internal Clearance	C0-Medium
Number of Bearings	1 (Single)
Inch – Metric	Metric
Long Description	25MM Bore; 75MM Outside Diameter; 28MM Width; 2 Metal Shields; No Flush Ground; Ball Bearing; Double Row of Balls; ABEC 1 ISO P0; No Filling Slot; Yes Snap Ring; C0-Medium; Plastic Cage; 60 Degree; 1 (Single)
Other Features	With Fixing Holes With Snap Ring Groove

Category – BDI	Angular Contact Ball Bearing
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Manufacturer URL	http://www.ina.com
Weight / LBS	1.58733
Width	1.102 Inch 28 Millimeter
Bore	0.984 Inch 25 Millimeter
Outside Diameter	2.953 Inch 75 Millimeter