

ZKLF40100-2RS-2AP INA Maximum Capacity / Filling Slot No 40x100x68mm Thrust ball bearings

Bearing number	ZKLF40100-2RS-2AP
Size (mm)	40x100x68
Brand	INA
Bore Diameter (mm)	40
Outer Diameter (mm)	100
Width (mm)	68
d	40 mm
D	100 mm
B	68 mm
C	68 mm
Screw	8X45°
I	3 mm
Angle (?)	60 °
b	59 mm
d1	58 mm
d2	8.8 mm
r min.	0.3 mm
r1 min.	0.6 mm
J	80 mm
Bolt (G)	M8X80
Weight	2.92 Kg
Basic dynamic load rating (C)	70 kN

Basic static load rating (C0)	202 kN
Category	Angular Contact Ball Bearings
BDI Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	3.497
EAN	4012802078800
Product Group – BDI	B00152
Enclosure	2 Seals
Flush Ground	No
Rolling Element	Ball Bearing
Number of Rows of Balls	Double Row
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Snap Ring	Yes
Cage Material	Plastic
Contact Angle	60 Degree
Internal Clearance	C0-Medium
Number of Bearings	2 (1 Pair)
Mounting Arrangement	Duplex-Face to Face
Inch – Metric	Metric
Long Description	40MM Bore; 100MM Outside Diameter; 68MM Width; 2 Seals; No Flush Ground; Ball Bearing; Double Row of Balls; ABEC 1 ISO P0; No Filling Slot; Yes Snap Ring; C0-Medium; Plastic Cage; 60 Degree; 2 (1 Pair)

Other Features	With Fixing Holes With Snap Ring Groove Matched Pair Bearing
Category – BDI	Angular Contact Ball Bearing
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Manufacturer URL	http://www.ina.com
Weight / LBS	3.21875
Bore	1.575 Inch 40 Millimeter
Outside Diameter	3.937 Inch 100 Millimeter
Width	2.677 Inch 68 Millimeter