

# ZKLN0619-2Z INA Internal Clearance C0-Medium 6x19x12mm Thrust ball bearings

Bearing number	ZKLN0619-2Z
Size (mm)	6x19x12
Brand	INA
Bore Diameter (mm)	6
Outer Diameter (mm)	19
Width (mm)	12
d	6 mm
D	19 mm
B	12 mm
C	12 mm
Angle (?)	60 °
d1	12 mm
r min.	0.3 mm
r1 min.	0.3 mm
Weight	0.02 Kg
Basic dynamic load rating (C)	4.9 kN
Basic static load rating (C0)	6.1 kN
Category	Angular Contact Ball Bearings
BDI Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	0.025

EAN	4012802078909
Product Group – BDI	B00152
Enclosure	2 Metal Shields
Flush Ground	No
Rolling Element	Ball Bearing
Number of Rows of Balls	Double Row
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Snap Ring	No
Cage Material	Plastic
Contact Angle	60 Degree
Internal Clearance	C0-Medium
Number of Bearings	1 (Single)
Inch – Metric	Metric
Long Description	6MM Bore; 19MM Outside Diameter; 12MM Width; 2 Metal Shields; No Flush Ground; Ball Bearing; Double Row of Balls; ABEC 1   ISO P0; No Filling Slot; No Snap Ring; C0-Medium; Plastic Cage; 60 Degree; 1 (Single)
Other Features	With Fixing Holes
Category – BDI	Angular Contact Ball Bearing
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Weight / LBS	0.04409

Bore	0.236 Inch   6 Millimeter
Outside Diameter	0.748 Inch   19 Millimeter
Width	0.472 Inch   12 Millimeter