

ZKLN2052-2RS INA 20x52x28mm

Weight / Kilogram 0.371

Thrust ball bearings

| | |
|----------------------------------|-------------------------------|
| Bearing number | ZKLN2052-2RS |
| Size (mm) | 20x52x28 |
| Brand | INA |
| Bore Diameter (mm) | 20 |
| Outer Diameter (mm) | 52 |
| Width (mm) | 28 |
| d | 20 mm |
| D | 52 mm |
| B | 28 mm |
| C | 28 mm |
| Angle (?) | 60 ° |
| d1 | 34.5 mm |
| r min. | 0.3 mm |
| r1 min. | 0.6 mm |
| Weight | 0.31 Kg |
| Basic dynamic load rating (C) | 26 kN |
| Basic static load rating (C0) | 47 kN |
| Category | Angular Contact Ball Bearings |
| BDI Inventory | 0.0 |
| Manufacturer Name | SCHAEFFLER GROUP |
| Minimum Buy Quantity | N/A |
| Weight / Kilogram | 0.371 |

| | |
|---------------------------------|---|
| EAN | 4012802420395 |
| Product Group – BDI | B00152 |
| Enclosure | 2 Seals |
| Flush Ground | No |
| Rolling Element | Ball Bearing |
| Number of Rows of Balls | Double Row |
| Precision Class | ABEC 1 ISO P0 |
| Maximum Capacity / Filling Slot | No |
| Snap Ring | No |
| Cage Material | Plastic |
| Contact Angle | 60 Degree |
| Internal Clearance | C0-Medium |
| Number of Bearings | 1 (Single) |
| Inch – Metric | Metric |
| Long Description | 20MM Bore; 52MM Outside Diameter; 28MM Width; 2 Seals; No Flush Ground; Ball Bearing; Double Row of Balls; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; C0-Medium; Plastic Cage; 60 Degree; 1 (Single) |
| Other Features | With Fixing Holes |
| Category – BDI | Angular Contact Ball Bearing |
| UNSPSC | 31171531 |
| Harmonized Tariff Code | 8482.10.50.28 |
| Noun | Bearing |
| Keyword String | Angular Contact |
| Manufacturer URL | http://www.ina.com |
| Weight / LBS | 0.68343 |

| | |
|------------------|----------------------------|
| Bore | 0.787 Inch 20 Millimeter |
| Outside Diameter | 2.047 Inch 52 Millimeter |
| Width | 1.102 Inch 28 Millimeter |