

ZKLN3572-2RS-2AP INA Category – BDI Angular Contact Ball Bearing 35x72x68mm Thrust ball bearings

| | |
|----------------------------------|-------------------------------|
| Bearing number | ZKLN3572-2RS-2AP |
| Size (mm) | 35x72x68 |
| Brand | INA |
| Bore Diameter (mm) | 35 |
| Outer Diameter (mm) | 72 |
| Width (mm) | 68 |
| d | 35 mm |
| D | 72 mm |
| B | 68 mm |
| C | 68 mm |
| Angle (?) | 60 ° |
| d1 | 52 mm |
| r min. | 0.3 mm |
| r1 min. | 0.6 mm |
| da min. | 45 mm |
| Da max. | 62 mm |
| Weight | 1.02 Kg |
| Basic dynamic load rating (C) | 66 kN |
| Basic static load rating (C0) | 177 kN |
| Category | Angular Contact Ball Bearings |
| BDI Inventory | 0.0 |

| | |
|---------------------------------|---|
| Manufacturer Name | SCHAEFFLER GROUP |
| Minimum Buy Quantity | N/A |
| Weight / Kilogram | 1.59 |
| EAN | 4012802440683 |
| Product Group – BDI | B00152 |
| Enclosure | 2 Seals |
| Flush Ground | No |
| Rolling Element | Ball Bearing |
| Number of Rows of Balls | Double Row |
| Precision Class | ABEC 1 ISO P0 |
| Maximum Capacity / Filling Slot | No |
| Snap Ring | No |
| Cage Material | Plastic |
| Contact Angle | 60 Degree |
| Internal Clearance | C0-Medium |
| Number of Bearings | 2 (1 Pair) |
| Mounting Arrangement | Duplex-Face to Face |
| Inch – Metric | Metric |
| Long Description | 35MM Bore; 72MM Outside Diameter; 68MM Width; 2 Seals; No Flush Ground; Ball Bearing; Double Row of Balls; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; C0-Medium; Plastic Cage; 60 Degree; 2 (1 Pair) |
| Other Features | With Fixing Holes Matched Pair Bearing |
| Category – BDI | Angular Contact Ball Bearing |
| UNSPSC | 31171531 |
| Harmonized Tariff Code | 8482.10.50.28 |

| Noun | Bearing |
|------------------|---|
| Keyword String | Angular Contact |
| Manufacturer URL | http://www.ina.com |
| Weight / LBS | 1.12436 |
| Width | 2.677 Inch 68 Millimeter |
| Bore | 1.378 Inch 35 Millimeter |
| Outside Diameter | 2.835 Inch 72 Millimeter |