

# ZKLN3572-2RS INA Basic static load rating (C0) 89 kN 35x72x34mm Thrust ball bearings

Bearing number	ZKLN3572-2RS
Size (mm)	35x72x34
Brand	INA
Bore Diameter (mm)	35
Outer Diameter (mm)	72
Width (mm)	34
d	35 mm
D	72 mm
B	34 mm
C	34 mm
Angle (?)	60 °
d1	52 mm
r min.	0.3 mm
r1 min.	0.6 mm
Weight	0.51 Kg
Basic dynamic load rating (C)	41 kN
Basic static load rating (C0)	89 kN
Category	Angular Contact Ball Bearings
BDI Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A

Weight / Kilogram	0.454
EAN	4012802079050
Product Group – BDI	B00152
Enclosure	2 Seals
Flush Ground	No
Rolling Element	Ball Bearing
Number of Rows of Balls	Double Row
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Snap Ring	No
Cage Material	Plastic
Contact Angle	60 Degree
Internal Clearance	C0-Medium
Number of Bearings	1 (Single)
Inch – Metric	Metric
Long Description	35MM Bore; 72MM Outside Diameter; 34MM Width; 2 Seals; No Flush Ground; Ball Bearing; Double Row of Balls; ABEC 1   ISO P0; No Filling Slot; No Snap Ring; C0-Medium; Plastic Cage; 60 Degree; 1 (Single)
Other Features	With Fixing Holes
Category – BDI	Angular Contact Ball Bearing
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>

Weight / LBS	1.12436
Outside Diameter	2.835 Inch   72 Millimeter
Width	1.339 Inch   34 Millimeter
Bore	1.378 Inch   35 Millimeter